



DESIGNER
HEATING
2019



DESIGNER HEATING 2019

Kartell UK has established a reputation as a premier supplier of high quality products to the UK Plumbing and Heating Sector. We are delighted to introduce our 2019 K-Rad Designer Radiator brochure. Take a look at our wide range, all designed to provide exactly what we have become famous for at Kartell – delivering a quality product, offering a quality service and delivering at a competitive price.

Within these pages you will find the latest designer radiators and towel rails, influenced by fashions and designers across Europe. You will also find the traditional styles that have remained with us over the years; solid functional designs with durability and ease of use and maintenance. We trust that you will enjoy this new catalogue.

Designer Radiators

Aspen White Horizontal	4
Aspen White Vertical	5
Aspen Anthracite Horizontal	6
Aspen Anthracite Vertical	7
Aspen Stainless Horizontal	8
Aspen Stainless Vertical	9
Boston Chrome	10
Boston Anthracite	11
Boston White	12
Florida	13
Laser Klassic Horizontal	14
Laser Klassic Vertical	15
Laser Klassic Horizontal Raw Metal	16
Laser Klassic Vertical Raw Metal	17
Laser Klassic Horizontal Anthracite	18
Laser Klassic Vertical Anthracite	19
K-Flat Horizontal	20
K-Flat Vertical	21
K-Flat Premium Horizontal	22
K-Flat Premium Vertical	23
Vermont	24
Vermont Hi	25
Nostalgia	26
Legacy	27
San Jose	28
Miami	29
Cincinnati	30
Kansas	31
Los Angeles	32
Crown	33
Idaho	34

Designer Towel Rails


Toledo	35
Metro	36
Ohio	37
Connecticut	38
Orlando	39
Newark	40
Memphis	41
Atlantic	42
Mode	43
Oregon Chrome	44
Oregon Anthracite	45
Phoenix	46
New York	47
Oakland	48
K Squared	49
K Rail 22mm Black	50
K Rail 22mm Anthracite	51
Coloured K-Rails	52
K Rail 22mm White	54
K Rail 22mm Chrome	55
K Rail 25mm Chrome	56
Electric rails	57

Radiator Valves & Extras 58-59




K-Rad Kolours


A selection of our most popular RAL colours are available on most products, for those that require a more unique look. Our K-Rad Kolours are ready to go so your product can be delivered to you in 2 weeks.




RAL 9010
Pure White




RAL 1013
Oyster White




RAL 9002
Grey White




RAL 7032
Pebble Grey




RAL 7001
Silver Grey




RAL 5024
Pastel Blue




RAL 5002
Ultramarine




RAL 7016
Anthracite




RAL 5013
Cobalt Blue




RAL 9005
Jet Black




RAL 6019
Pastel Green




RAL 1016
Sulphur Yellow



RAL 2004
Brilliant Orange



RAL 3020
Traffic Red



RAL 4010
Telemagenta

Cast Iron & Tubular Steel: £36 per section surcharge for Kartell Kolours.

K-Flats & K-Rads: price on application for Kartell Kolours.


Other colours only available upon request. Please contact the sales office for pricing.


Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP60-37SW	600	360	55	360	51	1434	184.14
ASP60-55SW	600	540	55	540	51	2234	258.98
ASP60-79SW	600	780	55	780	51	3309	349.60
ASP60-97SW	600	960	55	960	51	4428	417.20
ASP60-115SW	600	1140	55	1140	51	5111	487.62
ASP60-145SW	600	1440	55	1440	51	6377	604.15
Aspen Double							
ASP60-37DW	600	360	79	360	51	2467	267.62
ASP60-55DW	600	540	79	540	51	3850	374.00
ASP60-79DW	600	780	79	780	51	5694	513.54
ASP60-97DW	600	960	79	960	51	7591	615.71
ASP60-115DW	600	1140	79	1140	51	8645	722.20
ASP60-145DW	600	1440	79	1440	51	10780	891.86







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSW	1600	420	55	420	51	4187	352.40
ASP18-31VSW	1800	300	55	300	51	3563	292.03
ASP18-43VSW	1800	420	55	420	51	4796	386.96
ASP18-55VSW	1800	540	55	540	51	6299	481.90
Aspen Double							
ASP16-43VDW	1600	420	79	420	51	8170	474.77
ASP18-31VDW	1800	300	79	300	51	6933	374.00
ASP18-43VDW	1800	420	79	420	51	9540	506.41
ASP18-55VDW	1800	540	79	540	51	12283	638.71



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output Δt60°C (BTUs)	Price (£)
Aspen Single							
ASP60-37SA	600	380	55	360	51	1434	188.46
ASP60-55SA	600	560	55	540	51	2234	267.62
ASP60-79SA	600	800	55	780	51	3309	359.64
ASP60-97SA	600	980	55	960	51	4428	431.57
ASP60-115SA	600	1160	55	1140	51	5111	503.50
ASP60-145SA	600	1460	55	1440	51	6377	622.94
Aspen Double							
ASP60-37DA	600	380	79	360	51	2467	276.16
ASP60-55DA	600	560	79	540	51	3850	385.56
ASP60-79DA	600	800	79	780	51	5694	529.42
ASP60-97DA	600	980	79	960	51	7591	632.99
ASP60-115DA	600	1160	79	1140	51	8645	742.28
ASP60-145DA	600	1460	79	1440	51	10780	920.70







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSA	1600	440	55	420	51	4187	362.56
ASP18-31VSA	1800	320	55	300	51	3563	300.67
ASP18-43VSA	1800	440	55	420	51	4796	398.52
ASP18-55VSA	1800	560	55	540	51	6299	496.26
Aspen Double							
ASP16-43VDA	1600	440	79	420	51	8170	489.13
ASP18-31VDA	1800	320	79	300	51	6933	386.96
ASP18-43VDA	1800	440	79	420	51	9540	522.18
ASP18-55VDA	1800	560	79	540	51	12283	657.40



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output Δt60°C (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-40S	600	400	63	400	50	1271	359.64
ASP60-57S	600	570	63	570	50	1902	427.25
ASP60-80S	600	800	63	800	50	2749	496.26
ASP60-100S	600	1000	63	1000	50	3592	533.74
ASP60-120S	600	1200	63	1200	50	4016	553.82
ASP60-150S	600	1500	63	1500	50	5 075	693.36
Aspen Double							
ASP60-40D	600	370	88	370	70	2187	694.87
ASP60-57D	600	550	88	550	70	3285	673.27
ASP60-75D	600	790	88	790	70	4379	929.34
ASP60-100D	600	970	88	970	70	6204	1,009.91
ASP60-120D	600	1150	88	1150	70	6904	1,086.16
ASP60-150D	600	1450	88	1450	70	8763	1,378.19







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP180-25S	1800	250	63	250	50	2334	549.50
ASP180-31S	1800	310	63	310	50	2918	663.23
ASP180-45S	1800	450	63	450	50	4059	890.46
ASP180-56S	1800	560	63	560	50	5248	1,116.29
Aspen Double							
ASP180-25D	1800	250	88	250	70	4552	951.80
ASP180-31D	1800	310	88	310	70	5690	1,221.59
ASP180-45D	1800	450	88	450	70	7916	1,697.54
ASP180-56D	1800	560	88	560	70	10234	2,058.37



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
1200 Series						
BOS1200-410C	1200	410	370	50	1638	339.55
BOS1200-480C	1200	480	440	50	1911	389.88
BOS1200-550C	1200	550	510	50	2185	434.48
1600 Series						
BOS1600-410C	1600	410	370	50	2133	394.20
BOS1600-480C	1600	480	440	50	2489	453.17
BOS1600-550C	1600	550	510	50	2845	507.82
1800 Series						
BOS1800-410C	1800	410	370	50	2380	425.84
BOS1800-480C	1800	480	440	50	2777	490.54
BOS1800-550C	1800	550	510	50	3174	545.18







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
1200 Series						
BOS1200-410A	1200	410	370	50	2,488	228.74
BOS1200-480A	1200	480	440	50	2,904	263.30
BOS1200-550A	1200	550	510	50	3,319	293.44
1600 Series						
BOS1600-410A	1600	410	370	50	3,240	266.11
BOS1600-480A	1600	480	440	50	3,781	306.40
BOS1600-550A	1600	550	510	50	4,322	342.36
1800 Series						
BOS1800-410A	1800	410	370	50	3,616	287.71
BOS1800-480A	1800	480	440	50	4,219	330.91
BOS1800-550A	1800	550	510	50	4,823	368.28



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
1200 Series						
BOS1200-410W	1200	410	370	50	2,488	220.10
BOS1200-480W	1200	480	440	50	2,904	253.15
BOS1200-550W	1200	550	510	50	3,319	283.39
1600 Series						
BOS1600-410W	1600	410	370	50	3,240	256.07
BOS1600-480W	1600	480	440	50	3,781	294.95
BOS1600-550W	1600	550	510	50	4,322	329.40
1800 Series						
BOS1800-410W	1800	410	370	50	3,616	277.67
BOS1800-480W	1800	480	440	50	4,219	319.36
BOS1800-550W	1800	550	510	50	4,823	355.32





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output Δt60°C (BTUs)	Price (£)
				(c1)	(c2)		
600 Series							
FLO490-600	600	490	40	550	50-65	2062	539.46
FLO590-600	600	590	40	550	50-65	2473	608.47
800 Series							
FLO490-800	800	490	40	750	50-65	2749	683.32
FLO590-800	800	590	40	750	50-65	3294	779.65
1000 Series							
FLO490-1000	1000	490	40	950	50-65	3437	868.86
FLO590-1000	1000	590	40	950	50-65	4120	966.71
1200 Series							
FLO490-1200	1200	490	40	1150	50-65	4120	985.39
FLO590-1200	1200	590	40	1150	50-65	4946	1,120.61
1800 Series							
FLO1800-290	1800	290	40	1750	50-65	3713	930.74
FLO1800-390	1800	390	40	1750	50-65	4946	1,234.33


Laser Klassic Horizontal



5 5 Year Guarantee



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL206014	600	650	66	535	14	2707	274.75
LCL206018	600	830	66	535	18	3480	345.71
LCL206022	600	1010	66	535	22	4255	417.85
LCL206026	600	1190	66	535	26	5027	486.54
3 Columns							
LCL306014	600	650	107	535	14	3694	297.65
LCL306018	600	830	107	535	18	4724	377.78
LCL306022	600	1010	107	535	22	5773	452.20
LCL306026	600	1190	107	535	26	6824	532.33
4 Columns							
LCL404014	400	650	148	335	14	3354	417.85
LCL404018	400	830	148	335	18	4312	532.33
LCL404022	400	1010	148	335	22	5269	646.81
LCL404026	400	1190	148	335	26	6229	761.29
LCL406014	600	650	148	535	14	4900	337.72
LCL406018	600	830	148	535	18	6300	429.30
LCL406022	600	1010	148	535	22	7701	515.16
LCL406026	600	1190	148	535	26	9102	607.93
LCL407514	750	650	148	685	14	6043	383.51
LCL407518	750	830	148	685	18	7769	480.82
LCL407522	750	1010	148	685	22	9460	583.85
LCL407526	750	1190	148	685	26	11221	686.88
6 Columns							
LCL603022	300	1010	230	235	22	5915	810.00
LCL603026	300	1190	230	235	26	6991	937.98
LCL603030	300	1370	230	235	30	8067	1,078.92




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height



Code	Description	Price (per pair)
T2F	2 column	£82.40
T3F	3 column	£82.40
T4F	4 column	£82.40
T6F	6 column	£82.40




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
LCL215007	1500	335	66	1435	7	3215	314.82
LCL215009	1500	425	66	1435	9	4133	400.68
LCL215011	1500	515	66	1435	11	5051	480.82
LCL218007	1800	335	66	1735	7	3858	322.81
LCL218009	1800	425	66	1735	9	4960	409.86
LCL218011	1800	515	66	1735	11	6063	492.26
3 Columns							
LCL318007	1800	335	107	1735	7	4146	378.00
LCL318009	1800	425	107	1735	9	5331	486.00
LCL318011	1800	515	107	1735	11	6516	583.20



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL206014	600	650	66	535	14	2707	357.18
RMLCL206018	600	830	66	535	18	3480	449.43
RMLCL206022	600	1010	66	535	22	4255	543.22
3 Columns							
RMLCL306014	600	650	107	535	14	3694	386.94
RMLCL306018	600	830	107	535	18	4724	491.12
RMLCL306022	600	1010	107	535	22	5773	587.87
RMLCL306026	600	1190	107	535	26	6824	692.04
4 Columns							
RMLCL404026	400	1190	148	335	26	9102	790.30



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height




Code	Description	Price (per pair)
RMT2F	2 column	£106.92
RMT3F	3 column	£106.92
RMT4F	4 column	£106.92

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



2 mm  45mm



D (wall to back of radiator) =
30mm/40mm dependant
on radiator position on the
bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL218007	1800	335	66	1735	7	3858	419.64
RMLCL218009	1800	425	66	1735	9	4960	532.83
RMLCL218011	1800	515	66	1735	11	6063	639.94



Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.


Laser Klassic Horizontal Anthracite

M Matt Finish

5 5 Year Guarantee



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
ALCL206014	600	650	66	535	14	2707	357.18
ALCL206018	600	830	66	535	18	3480	449.43
ALCL206022	600	1010	66	535	22	4255	543.22
3 Columns							
ALCL306014	600	650	107	535	14	3694	386.94
ALCL306018	600	830	107	535	18	4724	491.12
ALCL306022	600	1010	107	535	22	5773	587.87
ALCL306026	600	1190	107	535	26	6824	692.04
4 Columns							
ALCL404026	400	1190	148	335	26	9102	790.30




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height



Code	Description	Price (per pair)
AT2F	2 column	£106.92
AT3F	3 column	£106.92
AT4F	4 column	£106.92

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
ALCL218007	1800	335	66	1735	7	3858	419.64
ALCL218009	1800	425	66	1735	9	4960	532.83
ALCL218011	1800	515	66	1735	11	6063	639.94

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.


K-Flat Kompact Horizontal




10 10 Year Guarantee



Type 11 Single Convector



Type 22 Double Convactor



TYPE 11 Single Convactor


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406F	600	56	345	40 or 55	1586	137.18
KS408F	800	56	345	40 or 55	2115	162.50
KS410F	1000	56	345	40 or 55	2644	188.05
KS412F	1200	56	345	40 or 55	3173	218.05
KS414F	1400	56	345	40 or 55	3701	241.46
KS416F	1600	56	345	40 or 55	4230	268.67
500mm high						
KS504F	400	56	445	40 or 55	1279	129.46
KS506F	600	56	445	40 or 55	1918	152.61
KS508F	800	56	445	40 or 55	2558	183.11
KS510F	1000	56	445	40 or 55	3197	214.38
KS512F	1200	56	445	40 or 55	3837	250.69
KS514F	1400	56	445	40 or 55	4476	278.41
KS516F	1600	56	445	40 or 55	5116	305.37
600mm high						
KS604F	400	56	545	40 or 55	1489	138.45
KS606F	600	56	545	40 or 55	2233	165.78
KS608F	800	56	545	40 or 55	2977	201.46
KS610F	1000	56	545	40 or 55	3722	237.29
KS612F	1200	56	545	40 or 55	4466	266.76
KS614F	1400	56	545	40 or 55	5211	310.68
KS616F	1600	56	545	40 or 55	5955	341.94
KS618F	1800	56	545	40 or 55	6699	372.18
KS620F	2000	56	545	40 or 55	7444	402.81

TYPE 22 Double Convactor



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406F	600	105	345	82.5 or 97.5	3133	185.01
KD408F	800	105	345	82.5 or 97.5	4178	226.27
KD410F	1000	105	345	82.5 or 97.5	5222	267.66
KD412F	1200	105	345	82.5 or 97.5	6266	314.10
KD414F	1400	105	345	82.5 or 97.5	7311	353.07
KD416F	1600	105	345	82.5 or 97.5	8355	396.35
500mm high						
KD504F	400	105	445	82.5 or 97.5	2499	171.85
KD506F	600	105	445	82.5 or 97.5	3748	211.72
KD508F	800	105	445	82.5 or 97.5	4997	262.21
KD510F	1000	105	445	82.5 or 97.5	6247	313.09
KD512F	1200	105	445	82.5 or 97.5	7496	368.90
KD514F	1400	105	445	82.5 or 97.5	8746	416.35
KD516F	1600	105	445	82.5 or 97.5	9995	463.17
600mm high						
KD604F	400	105	545	82.5 or 97.5	2876	189.82
KD606F	600	105	545	82.5 or 97.5	4314	237.29
KD608F	800	105	545	82.5 or 97.5	5752	297.26
KD610F	1000	105	545	82.5 or 97.5	7190	356.99
KD612F	1200	105	545	82.5 or 97.5	8627	421.92
KD614F	1400	105	545	82.5 or 97.5	10065	478.22
KD616F	1600	105	545	82.5 or 97.5	11503	533.65
KD618F	1800	105	545	82.5 or 97.5	12941	587.82
KD620F	2000	105	545	82.5 or 97.5	14379	642.61



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318F	300	52.5	245	42	1672	248.29
SV418F	400	52.5	345	42	2235	282.59
SV518F	500	52.5	445	42	2791	317.64
SV618F	600	52.5	545	42	3371	356.62

TYPE 20 Double Panel (With Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318F	300	72.5	245	59	2774	356.62
DV418F	400	72.5	345	59	3709	406.86
DV518F	500	72.5	445	59	4603	460.25
DV618F	600	72.5	545	59	5521	509.87
2000mm high						
DV420F	400	72.5	345	59	4159	435.96

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.


K-Flat Premium Kompact Horizontal




5 Year Guarantee



Type 11 Single Convector



Type 22 Double Convactor



TYPE 11 Single Convactor


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406FP	600	56	345	40 or 55	1586	164.65
KS408FP	800	56	345	40 or 55	2115	195.02
KS410FP	1000	56	345	40 or 55	2644	225.64
KS412FP	1200	56	345	40 or 55	3173	261.71
KS414FP	1400	56	345	40 or 55	3701	289.67
KS416FP	1600	56	345	40 or 55	4230	322.44
500mm high						
KS504FP	400	56	445	40 or 55	1279	155.40
KS506FP	600	56	445	40 or 55	1918	183.11
KS508FP	800	56	445	40 or 55	2558	219.81
KS510FP	1000	56	445	40 or 55	3197	257.15
KS512FP	1200	56	445	40 or 55	3837	300.80
KS514FP	1400	56	445	40 or 55	4476	334.09
KS516FP	1600	56	445	40 or 55	5116	366.48
600mm high						
KS604FP	400	56	545	40 or 55	1489	166.16
KS606FP	600	56	545	40 or 55	2233	198.94
KS608FP	800	56	545	40 or 55	2977	241.83
KS610FP	1000	56	545	40 or 55	3722	284.73
KS612FP	1200	56	545	40 or 55	4466	320.17
KS614FP	1400	56	545	40 or 55	5211	372.70
KS616FP	1600	56	545	40 or 55	5955	410.40
KS618FP	1800	56	545	40 or 55	6699	446.59
KS620FP	2000	56	545	40 or 55	7444	483.42

TYPE 22 Double Convactor



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406FP	600	105	345	82.5 or 97.5	3133	222.10
KD408FP	800	105	345	82.5 or 97.5	4178	271.57
KD410FP	1000	105	345	82.5 or 97.5	5222	321.31
KD412FP	1200	105	345	82.5 or 97.5	6266	376.87
KD414FP	1400	105	345	82.5 or 97.5	7311	423.81
KD416FP	1600	105	345	82.5 or 97.5	8355	475.70
500mm high						
KD504FP	400	105	445	82.5 or 97.5	2499	206.28
KD506FP	600	105	445	82.5 or 97.5	3748	253.98
KD508FP	800	105	445	82.5 or 97.5	4997	314.59
KD510FP	1000	105	445	82.5 or 97.5	6247	375.72
KD512FP	1200	105	445	82.5 or 97.5	7496	442.67
KD514FP	1400	105	445	82.5 or 97.5	8746	499.61
KD516FP	1600	105	445	82.5 or 97.5	9995	555.80
600mm high						
KD604FP	400	105	545	82.5 or 97.5	2876	227.91
KD606FP	600	105	545	82.5 or 97.5	4314	284.73
KD608FP	800	105	545	82.5 or 97.5	5752	356.75
KD610FP	1000	105	545	82.5 or 97.5	7190	428.37
KD612FP	1200	105	545	82.5 or 97.5	8627	506.33
KD614FP	1400	105	545	82.5 or 97.5	10065	573.89
KD616FP	1600	105	545	82.5 or 97.5	11503	640.34
KD618FP	1800	105	545	82.5 or 97.5	12941	705.39
KD620FP	2000	105	545	82.5 or 97.5	14379	771.07



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318FP	300	52.5	245	42	1672	285.49
SV418FP	400	52.5	345	42	2235	324.97
SV518FP	500	52.5	445	42	2791	365.21
SV618FP	600	52.5	545	42	3371	410.15


TYPE 20 Double Panel (With Side Panels)


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output Δt60°C (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318FP	300	72.5	245	59	2774	410.15
DV418FP	400	72.5	345	59	3709	467.85
DV518FP	500	72.5	445	59	4603	529.36
DV618FP	600	72.5	545	59	5521	586.31

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.



Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
581mm high						
VER500-05	400	95	400	65	2,538	162.98
VER500-08	640	95	640	65	4,060	243.66
VER500-10	800	95	800	65	5,075	295.93
VER500-13	1040	95	1040	65	6,598	376.60
VER500-15	1200	95	1200	65	7,613	430.41
VER500-18	1440	95	1440	65	9,136	514.29
681mm high						
VER600-05	400	95	400	65	3,091	169.30
VER600-08	640	95	640	65	4,946	253.16
VER600-10	800	95	800	65	6,182	310.18
VER600-13	1040	95	1040	65	8,037	395.60
VER600-15	1200	95	1200	65	9,273	450.96
VER600-18	1440	95s	1440	65	11,128	541.13






Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
1870m high						
VER1800-03HI	240	100	240	65	3,691	425.01
VER1800-04HI	320	100	320	65	4,922	580.69
VER1800-05HI	400	100	400	65	6,152	672.53
VER1800-06HI	480	100	480	65	7,382	794.42
VER1800-07HI	560	100	560	65	8,613	941.49




Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		No. of Sections	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)			
760mm high							
600/180/6	456	180	476	122/132	6	3132	593.50
954mm high							
800/180/6	456	180	476	122/132	6	3906	801.16



Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA
Please ensure that you have a joining key, to check all joints are tight before installing.



Shown finished in Black RAL9005




Supplied in dark grey primer RAL7022 as shown left.


Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)	No. of Sections	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
660mm high						
4/65/10	600	144	620	10	4007	618.41
4/65/13	780	144	800	13	5209	808.34
4/65/17	1020	144	1040	17	6812	1046.74
4/65/21	1260	144	1280	21	8414	1285.14
760mm high						
4/75/10	600	144	620	10	4652	685.83
4/75/13	780	144	800	13	6047	896.07
4/75/17	1020	144	1040	17	7908	1161.54
4/75/21	1260	144	1280	21	9768	1426.88

Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA
Please ensure that you have a joining key, to check all joints are tight before installing.



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
SJC-1	1300	600	100	2786	600.70







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MIA (Horizontal)	450	1400	1350	1708	447.23
MIA (Vertical)	1400	450	1350	1708	447.23




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)		
CVG	2000	351	50	4628	612.90		




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MCI	2000	276	50	5369	733.00



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAX	1604	500	50	4778	488.16







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAS	945	675	528	5521	413.64
LAS-1	945	500	356	3013	395.60



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
IDA15-0240	1500	240	200	2667	702.00
IDA15-0340	1500	340	300	3735	982.58
IDA18-0240	1800	240	200	3200	809.89
IDA18-0340	1800	340	300	4483	1,051.60
IDA18-0440	1800	440	400	5780	1,342.22
ZXIDA	Optional Towel Holder				208.55







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
TOL500-1200	1200	500	445	2770	598.21
TOL600-1200	1200	600	545	3440	718.09



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MET800-500	800	500	475	1701	254.12
MET800-600	800	600	575	1841	266.11
MET1200-500	1200	500	475	2192	365.69
MET1200-600	1200	600	575	2625	382.43






Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
OHI500-800P	800	500	450	2321	535.14
OHI500-1200P	1200	500	450	3480	686.23




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CON500-900	900	500	472	843	453.17
CON350-1200	1200	350	322	891	424.33
CON500-1200	1200	500	472	1124	575.42
CON350-1800	1800	350	322	1050	561.06
CON500-1800	1800	500	472	1323	789.80





Straight




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720	720	500	468	1556	329.40
ORL600-720	720	600	568	1682	381.24
ORL500-1200	1200	500	468	2410	490.54
ORL600-1200	1200	600	568	2564	526.50
ORL500-1500	1500	500	468	2853	595.51
ORL600-1500	1500	600	568	3022	631.48


Curved

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720C	720	500	468	1556	375.52
ORL600-720C	720	600	568	1682	411.48
ORL500-1200C	1200	500	468	2140	549.50
ORL600-1200C	1200	600	568	2564	608.47
ORL500-1500C	1500	500	468	2853	651.67



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
EWR	952	500	86	462	1201	281.02
EWR-1	1306	500	86	462	1703	318.49







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MEM500-1200	1200	500	65	450	2079	358.45
MEM600-1200	1200	600	65	550	2390	394.42



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ATL500-1200A	1185	500	440	2490	355.32







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MOD500-800C	800	500	470	900	279.72
MOD500-1200C	1200	600	550	1400	355.32



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ORE500-1200C	1180	500	100	2140	355.32







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
ORE500-1200A	1180	500	100	1652	409.32



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
--------------	-------------	------------	------------	----------------------	---	-----------

PHX	1150	500	151	400	1945	318.71
-----	------	-----	-----	-----	------	--------





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
JFK	906	500	100	1198	305.75


Oakland


Chrome
Plated

5 5 Year
Guarantee



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
OAK	916	500	300	1411	304.56
OAK-1	1176	500	300	1820	343.12





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
SQR508C	800	500	455	1310	190.62
SQR608C	800	600	555	1520	214.60
SQR512C	1200	500	455	1910	262.55
SQR612C	1200	600	555	2200	286.52
SQR516C	1600	500	455	2495	334.48
SQR616C	1600	600	555	2890	370.44


K-Rail 22mm Black

M Matt Finish


5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR510B	1000	500	455	2194	152.50
STR512B	1200	500	455	2680	174.85
STR612B	1200	600	555	3109	179.93



Tube diameter
22mm





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR510A	1000	500	455	2194	152.50
STR512A	1200	500	455	2680	174.85
SQR612A	1200	600	555	3109	179.93

Coloured K-Rails

G Gloss
Finish

5 5 Year
Guarantee



Notes: Max operating pressure 7 bar.

Make a statement with our coloured K-Rails. Available in 7 bold colours.



22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308	300	800	255	1364	133.81
STR408	400	800	355	1567	136.84
STR508	500	800	455	1856	141.16
STR608	600	800	555	2151	145.37
STR310	300	1000	255	1626	142.99
STR410	400	1000	355	1868	146.56
STR510	500	1000	455	2194	152.50
STR610	600	1000	555	2538	155.09
STR312	300	1200	255	1978	163.62
STR412	400	1200	355	2274	167.62
STR512	500	1200	455	2680	174.85
STR612	600	1200	555	3109	179.93
STR316	300	1600	255	2614	192.67
STR416	400	1600	355	3006	197.64
STR516	500	1600	455	3540	206.06
STR616	600	1600	555	4105	212.44
STR518	500	1800	455	4069	258.44
STR618	600	1800	555	4720	269.78

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308	300	800	255	1364	136.94
CTR408	400	800	355	1567	140.51
CTR508	500	800	455	1856	144.72
CTR608	600	800	555	2151	148.93
CTR310	300	1000	255	1626	146.66
CTR410	400	1000	355	1868	150.55
CTR510	500	1000	455	2194	156.82
CTR610	600	1000	555	2538	159.52
CTR312	300	1200	255	1978	167.72
CTR412	400	1200	355	2274	171.94
CTR512	500	1200	455	2680	179.60
CTR612	600	1200	555	3109	185.00
CTR316	300	1600	255	2614	197.75
CTR416	400	1600	355	3006	201.20
CTR516	500	1600	455	3540	209.63
CTR616	600	1600	555	4105	216.00
CTR518	500	1800	455	4069	265.79
CTR618	600	1800	555	4720	277.88

Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.

K-Rail 22mm White

5 5 Year Guarantee

Finished in RAL 9016




22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308W	300	800	255	1364	52.81
STR408W	400	800	355	1567	55.84
STR508W	500	800	455	1856	60.16
STR608W	600	800	555	2151	64.37
STR310W	300	1000	255	1626	61.99
STR410W	400	1000	355	1868	65.56
STR510W	500	1000	455	2194	71.50
STR610W	600	1000	555	2538	74.09
STR312W	300	1200	255	1978	69.12
STR412W	400	1200	355	2274	73.12
STR512W	500	1200	455	2680	80.35
STR612W	600	1200	555	3109	85.43
STR316W	300	1600	255	2614	84.67
STR416W	400	1600	355	3006	89.64
STR516W	500	1600	455	3540	98.06
STR616W	600	1600	555	4105	104.44
STR518W	500	1800	455	4069	123.44
STR618W	600	1800	555	4720	134.78

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308W	300	800	255	1364	55.94
CTR408W	400	800	355	1567	59.51
CTR508W	500	800	455	1856	63.72
CTR608W	600	800	555	2151	67.93
CTR310W	300	1000	255	1626	65.66
CTR410W	400	1000	355	1868	69.55
CTR510W	500	1000	455	2194	75.82
CTR610W	600	1000	555	2538	78.52
CTR312W	300	1200	255	1978	73.22
CTR412W	400	1200	355	2274	77.44
CTR512W	500	1200	455	2680	85.10
CTR612W	600	1200	555	3109	90.50
CTR316W	300	1600	255	2614	89.75
CTR416W	400	1600	355	3006	93.20
CTR516W	500	1600	455	3540	101.63
CTR616W	600	1600	555	4105	108.00
CTR518W	500	1800	455	4069	130.79
CTR618W	600	1800	555	4720	142.88




Notes: Max operating pressure 7 bar.

22mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308C	300	800	255	957	76.57
STR408C	400	800	355	1100	81.00
STR508C	500	800	455	1302	87.16
STR608C	600	800	555	1509	93.20
STR310C	300	1000	255	1140	89.86
STR410C	400	1000	355	1311	95.04
STR510C	500	1000	455	1540	103.57
STR610C	600	1000	555	1781	107.35
STR312C	300	1200	255	1388	100.12
STR412C	400	1200	355	1595	105.95
STR512C	500	1200	455	1881	116.42
STR612C	600	1200	555	2182	123.77
STR316C	300	1600	255	1835	122.80
STR416C	400	1600	355	2108	129.92
STR516C	500	1600	455	2484	142.13
STR616C	600	1600	555	2881	151.31
STR518C	500	1800	455	2855	178.85
STR618C	600	1800	555	3312	195.37

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308C	300	800	255	957	81.11
CTR408C	400	800	355	1100	86.18
CTR508C	500	800	455	1302	92.34
CTR608C	600	800	555	1509	98.39
CTR310C	300	1000	255	1140	95.26
CTR410C	400	1000	355	1311	100.76
CTR510C	500	1000	455	1540	109.84
CTR610C	600	1000	555	1781	113.72
CTR312C	300	1200	255	1388	106.06
CTR412C	400	1200	355	1595	112.32
CTR512C	500	1200	455	1881	123.34
CTR612C	600	1200	555	2182	131.22
CTR316C	300	1600	255	1835	130.14
CTR416C	400	1600	355	2108	135.11
CTR516C	500	1600	455	2484	147.31
CTR616C	600	1600	555	2881	156.49
CTR518C	500	1800	455	2855	189.54
CTR618C	600	1800	555	3312	207.04



Notes: Max operating pressure 7 bar.






25mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
25STR308C	300	800	255	1106	101.84
25STR408C	400	800	355	1272	105.52
25STR508C	500	800	455	1506	113.94
25STR608C	600	800	555	1746	117.50
25STR310C	300	1000	255	1319	113.94
25STR410C	400	1000	355	1516	117.50
25STR510C	500	1000	455	1781	125.93
25STR610C	600	1000	555	2060	129.49
25STR312C	300	1200	255	1605	125.93
25STR412C	400	1200	355	1845	129.49
25STR512C	500	1200	455	2175	137.81
25STR612C	600	1200	555	2524	141.48
25STR316C	300	1600	255	2122	149.90
25STR416C	400	1600	355	2439	153.47
25STR516C	500	1600	455	2873	161.89
25STR616C	600	1600	555	3332	177.44
25STR518C	500	1800	455	3302	209.74
25STR618C	600	1800	555	3830	225.40

25mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
25CTR308C	300	800	255	1106	107.89
25CTR408C	400	800	355	1272	111.46
25CTR508C	500	800	455	1506	125.93
25CTR608C	600	800	555	1746	129.49
25CTR310C	300	1000	255	1319	119.88
25CTR410C	400	1000	355	1516	123.44
25CTR510C	500	1000	455	1781	131.87
25CTR610C	600	1000	555	2060	135.43
25CTR312C	300	1200	255	1605	131.87
25CTR412C	400	1200	355	1845	135.43
25CTR512C	500	1200	455	2175	143.86
25CTR612C	600	1200	555	2524	147.42
25CTR316C	300	1600	255	2122	161.89
25CTR416C	400	1600	355	2439	165.46
25CTR516C	500	1600	455	3302	173.77
25CTR616C	600	1600	555	3332	189.43
25CTR518C	500	1800	455	3302	221.83
25CTR618C	600	1800	555	3830	237.38




Notes: Max operating pressure 7 bar.



Electric Towel Rail – On/Off

Electric Towel Rail – Thermostatic



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ESTR508C	800	500	455	150	193.21
ESTR510C	1000	500	455	200	222.26
ESTR512C	1200	500	455	300	251.64
Curved					
ECTR508C	800	500	455	150	199.15
ECTR510C	1000	500	455	200	228.20
ECTR512C	1200	500	455	300	257.58

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ETSTR508C	800	500	455	150	244.19
ETSTR510C	1000	500	455	150	273.24
ETSTR512C	1200	500	455	300	302.62
Curved					
ETCTR508C	800	500	455	150	250.13
ETCTR510C	1000	500	455	150	279.18
ETCTR512C	1200	500	455	300	308.56

Radiator Valves & Extras



Modern Valves (Pair)

Straight
KART-STR £18.00

Angled
KART-ANG £18.00



Square Valves (Pair)

Straight
SQR-STR £43.00

Angled
SQR-ANG £45.50



Cube Valves (Pair)

Straight
CUBE-STR £24.00

Angled
CUBE-ANG £24.00



Times Valves (Pair)

Straight
CROSS-STR £25.00

Angled
CROSS-ANG £25.00



Traditional Cross Head Valves (Pair)

Angled
TRAD-CROSS-ANG £26.00



Aspen Valves (Pair)

Straight
ASP-STR £46.00

Angled
ASP-ANG £43.00



Corner Valves (Pair)

CRNV £26.50



Traditional - Chrome

TRAD-ANG-C £40.00



Traditional - Brass

TRAD-ANG-B £45.00



Modern Valves Anthracite (Pair)

Straight
ANTH-STR £38.50

Angled
ANTH-ANG £38.50



Nostalgia Thermostatic Valves

VLVCHA-TRV £73.00



Nostalgia Manual Valves

VLVCHA-AB1 £55.00



Refined Thermostatic Valve

Straight
TRVRS £16.50

Angled
TRVRA £14.50



Refined All Chrome Thermostatic Valve

Straight
TRVRSC £17.50

Angled
TRVRAC £15.00



Style Thermostatic Valve

Straight
TRVSS £11.00

Angled
TRVSA £11.00



Dual Fuel Heating Element

HE150 150 Watt £64.80
HE300 300 Watt £71.30
HE600 600 Watt £77.80

Dual Fuel Thermostatic Heating Element
TE300 300 Watt £129.60
TE600 600 Watt £142.60



Dual Fuel Thermostatic Heating Element



KARTELL^{UK}

Kartell UK Ltd
16-19 The Manton Centre, Manton Lane,
Bedford MK41 7PX
Tel 01234 363 393 Fax 01234 363 488

Kartell UK Ltd
Unit 3, Greenbank Business Park, Swan Lane,
Hindley Green, Wigan WN2 4EZ
Tel 01942 257 800 Fax 01942 257 900

www.kartelluk.com